

ROCK INDUSTRY PTY LTD
FOR SALE – Listing #KK126X

KUE KEN Model 126 42" x 26" Big Bite
DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT

- KUE KEN Model 126 - 42" x 36" Double Toggle Jaw Crusher.
- Complete with skid frame, 100hp motor and Lippmann Vibrating Feeder
- Up to 490 tonnes per hour capacity.
- BIG BITE Mechanism for maximum feed gape.
- Jaws Plates and Wear Plates 80-90%, Bearings, Eccentric shaft, swing jaw, toggles, pitman and main frame in good condition. Workshop checked and ready for work.
- Lippmann 20' Vibrating Grizzly Feeder with an 6' grizzly bar section, wear resistant liners in the side and in the bottom pan of the feeder, heavy-duty bearings, 30 HP TEFC electric motor.
- Steel fabricated bypass chute directing the grizzly fines down to the under crusher belt. Extra heavy-duty steel fabricated hopper.
- 48" front discharge conveyor including a steel fabricated impact tray with polyurethane replaceable liners, winged tail pulley, lagged head pulley, 20 HP electric motor, shaft mount gear reducer, heavy duty belting.
- Mounted on a heavy-duty steel fabricated skid structure, including operator's platform, with access ladder.



PRICE POA

Mid-West USA

AQIS Cleaning, Loading and Shipping available at Cost.

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD
FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE
DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

KUE KEN 126 42" x 36" BIG BITE

DOUBLE TOGGLE JAW CRUSHER – COMPLETE CRUSHING PLANT



**KUE KEN KK126 – 42" x 36" Jaw Crusher.
LIPPMANN 20' Vibrating Feeder
SKID FRAME, MOTORS and Discharge Conveyor.**

PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale.
Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X

Bulletin 802-A/BB

KUE-KEN® Corporation

BIG BITE® Jaw Crushers

Models 75-440

General Specifications

Crushing rates given are neither minimum nor maximum. Rates are for continuous feed of well graded sizes and are based on crushing average clean, hard, dry quartz or similar material having a bulk density of 100 lbs. per cubic foot (1600 kg per cubic meter). For optimum performance, product size should be removed from the feed and the maximum lump size should not exceed 80-85% of the gape. Minimum settings shown are not necessarily applicable to all installations. Horsepowers shown are for electric motor sizes required under typical conditions. Some of the factors which may affect capacity and product analysis include feed gradation, moisture content, friability and method of feeding. For assistance in proper application, consult factory.




TABLE A – Crushing Rates for Models 75-440

| Model No. | Feed Opening | IN | Capacity in Short Tons/Metric Tons Per Hour At Closed Side Settings Shown | | | | | | | | | | | | | | | | | HP |
|-----------|--------------|-------------|---|---------|---------|---------|---------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|-------|---------|
| | | | 1.50 | 2.00 | 2.50 | 3.00 | 3.50 | 4.00 | 5.00 | 6.00 | 7.00 | 8.00 | 10.00 | 12.00 | 14.00 | 16.00 | 18.00 | 20.00 | 22.00 | |
| | | | CM | | | | | | | | | | | | | | | | | |
| 75 | 20x30 | Short Tons | | | 63-89 | 76-108 | 89-128 | 103-151 | | | | | | | | | | | | 30-40 |
| | CM | Metric Tons | | | 57-81 | 69-96 | 81-116 | 93-137 | | | | | | | | | | | | |
| 110 | 25x42 | Short Tons | | | 105-145 | 125-170 | 145-195 | 165-220 | 205-275 | | | | | | | | | | | 50-60 |
| | CM | Metric Tons | | | 95-132 | 113-154 | 132-177 | 150-200 | 166-249 | | | | | | | | | | | |
| 110S | 27x42 | Short Tons | | | 125-170 | 145-195 | 165-220 | 205-275 | 245-335 | 285-395 | 325-465 | | | | | | | | | 50-60 |
| | CM | Metric Tons | | | 113-154 | 132-177 | 150-200 | 166-249 | 222-304 | 259-358 | 295-422 | | | | | | | | | |
| 120 | 30x42 | Short Tons | | | 145-195 | 165-220 | 205-275 | 245-335 | 285-395 | 325-465 | | | | | | | | | | 60-75 |
| | CM | Metric Tons | | | 132-177 | 150-200 | 166-249 | 222-304 | 259-358 | 295-422 | | | | | | | | | | |
| 120S | 30x36x42 | Short Tons | | | 145-195 | 165-220 | 205-275 | 245-335 | 285-395 | 325-465 | 410-540 | 495-620 | 585-720 | | | | | | | 60-75 |
| | CM | Metric Tons | | | 132-177 | 150-200 | 166-249 | 222-304 | 259-358 | 295-422 | 372-490 | 449-562 | 531-653 | | | | | | | |
| 126 | 36x42 | Short Tons | | | 165-220 | 205-275 | 245-335 | 285-395 | 325-465 | 410-540 | | | | | | | | | | 75-100 |
| | CM | Metric Tons | | | 150-200 | 166-249 | 222-304 | 259-358 | 295-422 | 372-490 | | | | | | | | | | |
| 140 | 16x48 | Short Tons | 90-125 | 115-155 | 140-185 | 165-215 | 190-250 | 215-290 | 265-370 | | | | | | | | | | | 100 |
| | CM | Metric Tons | 82-113 | 104-141 | 127-168 | 150-195 | 172-227 | 195-263 | 240-336 | | | | | | | | | | | |
| 141 | 18x48 | Short Tons | | 115-155 | 140-185 | 165-215 | 190-250 | 215-290 | 265-370 | | | | | | | | | | | 100 |
| | CM | Metric Tons | | 104-141 | 127-168 | 150-195 | 172-227 | 195-263 | 240-336 | | | | | | | | | | | |
| 145 | 24x48 | Short Tons | | | 140-185 | 165-215 | 190-250 | 215-290 | 265-370 | 315-450 | 365-530 | | | | | | | | | 100 |
| | CM | Metric Tons | | | 127-168 | 150-195 | 172-227 | 195-263 | 240-336 | 286-406 | 331-481 | | | | | | | | | |
| 145S | 30x48 | Short Tons | | | | | | 215-290 | 265-370 | 315-450 | 365-530 | 415-610 | 520-770 | | | | | | | 100-125 |
| | CM | Metric Tons | | | | | | 195-263 | 240-336 | 286-406 | 331-481 | 376-553 | 472-699 | | | | | | | |
| 150 | 36x48 | Short Tons | | | | | | 215-290 | 265-370 | 315-450 | 365-530 | 415-610 | 520-770 | | | | | | | 100-125 |
| | CM | Metric Tons | | | | | | 195-263 | 240-336 | 286-406 | 331-481 | 376-553 | 472-699 | | | | | | | |
| 150A | 40x48 | Short Tons | | | | | | 315-450 | 365-530 | 415-610 | 520-770 | 625-930 | 735-1090 | | | | | | | 100-125 |
| | CM | Metric Tons | | | | | | 286-406 | 331-481 | 376-553 | 472-699 | 567-844 | 667-989 | | | | | | | |
| 150S | 42x48 | Short Tons | | | | | | | | 415-610 | 520-770 | 625-930 | 735-1090 | 850-1250 | | | | | | 125-150 |
| | CM | Metric Tons | | | | | | | | 376-553 | 472-699 | 567-844 | 667-989 | 771-1134 | | | | | | |
| 160 | 42x48 | Short Tons | | | | | | 265-370 | 315-450 | 365-530 | 415-610 | 520-770 | | | | | | | | 125-150 |
| | CM | Metric Tons | | | | | | 240-336 | 286-406 | 331-481 | 376-553 | 472-699 | | | | | | | | |
| 170 | 25x50 | Short Tons | | | 175-225 | 200-265 | 230-300 | 280-380 | 325-475 | 375-550 | | | | | | | | | | 75-100 |
| | CM | Metric Tons | | | 159-204 | 181-240 | 209-272 | 254-345 | 296-431 | 340-499 | | | | | | | | | | |
| 180 | 26x60 | Short Tons | | | 230-350 | 265-400 | 300-450 | 370-550 | 445-650 | | | | | | | | | | | 100-125 |
| | CM | Metric Tons | | | 209-318 | 240-363 | 272-408 | 336-499 | 404-590 | | | | | | | | | | | |
| 200 | 48x60 | Short Tons | | | | | | 445-650 | 520-750 | 595-850 | 745-1050 | 900-1260 | 1060-1480 | | | | | | | 200 |
| | CM | Metric Tons | | | | | | 404-590 | 472-680 | 540-771 | 676-953 | 816-1143 | 962-1343 | | | | | | | |
| 310 | 55x75 | Short Tons | | | | | | 610-1000 | 715-1160 | 820-1320 | 1030-1650 | 1240-2000 | 1455-2370 | 1690-2770 | | | | | | 250-300 |
| | CM | Metric Tons | | | | | | 553-907 | 649-1052 | 744-1197 | 934-1497 | 1125-1814 | 1320-2150 | 1533-2513 | | | | | | |
| 440 | 66x84 | Short Tons | | | | | | | 835-1310 | 950-1490 | 1180-1850 | 1415-2210 | 1650-2580 | 1890-2960 | 2130-3340 | 2375-3720 | 2625-4120 | | | 350-400 |
| | CM | Metric Tons | | | | | | | 758-1188 | 862-1332 | 1070-1676 | 1284-2005 | 1497-2341 | 1715-2665 | 1932-3030 | 2155-3375 | 2381-3738 | | | |

Kue-Ken Jaws are designed for higher capacity, lower power consumption, more product size and lower overall cost-per-ton. With the widest range of standard sizes in the industry, you can select the right Kue-Ken for almost any crushing job.

ROCK INDUSTRY PTY LTD



PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale. Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.

ROCK INDUSTRY PTY LTD

FOR SALE – Listing #KK126X


TABLE B – Chart of Overall Dimensions

| Model No. | Feed Opening | | | | | | | | | | | | | | | |
|-----------|--------------|-------|-------|-------|-------|-------|------|-------|-------------|------|------|-------|------|-------|------|-------|
| | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P |
| 75 | IN 20 | 30 | 55 | 36 | 36 | 65 | 29 | 37 | 46 | 6 | 24 | 49 | 26 | 30 | 10 | 44 |
| CM | 50.8 | 76.2 | 139.7 | 91.4 | 91.4 | 165.1 | 73.7 | 94.0 | 116.8 | 15.2 | 60.9 | 124.0 | 66.0 | 76.2 | 25.4 | 111.8 |
| 110 | IN 25 | 42 | 64 | 34 | 42 | 77 | 33 | 43 | 47 | 6 | 27 | 55 | 33 | 42 | 14 | 44 |
| CM | 63.5 | 106.7 | 162.6 | 86.4 | 106.7 | 195.6 | 83.9 | 109.2 | 119.4 | 15.2 | 68.6 | 167.6 | 83.9 | 106.7 | 35.6 | 111.8 |
| 110S | IN 27 | 42 | 64 | 34 | 42 | 80 | 33 | 44 | 50 | 6 | 27 | 55 | 33 | 42 | 14 | 44 |
| CM | 68.6 | 106.7 | 162.6 | 86.4 | 106.7 | 203.2 | 83.9 | 111.8 | 127.0 | 15.2 | 68.6 | 167.6 | 83.9 | 106.7 | 35.6 | 111.8 |
| 120 | IN 30 | 42 | 75 | 42 | 42 | 87 | 32 | 52 | 57 | 6 | 28 | 78 | 33 | 42 | 14 | 44 |
| CM | 76.2 | 106.7 | 190.5 | 106.7 | 106.7 | 221.0 | 81.3 | 132.1 | 144.8 | 15.2 | 71.1 | 198.1 | 83.9 | 106.7 | 35.6 | 111.8 |
| 120S | IN 30-36 | 42 | 75 | 42 | 42 | 92 | 32 | 52 | 57-36 | 6 | 28 | 78 | 33 | 42 | 14 | 44 |
| CM | 76.2-91.4 | 106.7 | 190.5 | 106.7 | 106.7 | 233.7 | 81.3 | 132.1 | 144.8-160.0 | 15.2 | 71.1 | 198.1 | 83.9 | 106.7 | 35.6 | 111.8 |
| 126 | IN 36 | 42 | 87 | 42 | 42 | 100 | 32 | 49 | 68 | 6 | 28 | 102 | 33 | 42 | 14 | 44 |
| CM | 91.4 | 106.7 | 221.0 | 106.7 | 106.7 | 254.0 | 81.3 | 124.5 | 172.7 | 15.2 | 71.1 | 259.1 | 83.9 | 106.7 | 35.6 | 111.8 |
| 145 | IN 24 | 48 | 82 | 55 | 56 | 99 | 44 | 54 | 56 | 0 | 36 | 78 | 44 | 48 | 15 | 60 |
| CM | 60.9 | 121.9 | 208 | 140 | 142 | 252 | 112 | 137 | 142 | 0 | 91 | 198.1 | 112 | 122 | 38 | 152 |
| 145S | IN 30 | 48 | 82 | 55 | 56 | 105 | 44 | 54 | 62 | 0 | 36 | 78 | 44 | 48 | 15 | 60 |
| CM | 76.2 | 121.9 | 208 | 140 | 142 | 267 | 112 | 137 | 157 | 0 | 91 | 198.1 | 112 | 122 | 38 | 152 |
| 150 | IN 36 | 48 | 102 | 55 | 56 | 106 | 45 | 63 | 82 | 3 | 36 | 96 | 44 | 48 | 15 | 60 |
| CM | 91.4 | 121.9 | 259 | 140 | 142 | 270 | 114 | 160 | 208 | 8 | 91 | 244 | 112 | 122 | 38 | 152 |
| 150A | IN 40 | 48 | 102 | 55 | 56 | 106 | 45 | 65 | 86 | 3 | 36 | 96 | 44 | 48 | 15 | 60 |
| CM | 101.6 | 121.9 | 259 | 140 | 142 | 270 | 114 | 165 | 218 | 8 | 91 | 244 | 112 | 122 | 38 | 152 |
| 150S | IN 42 | 48 | 102 | 55 | 56 | 106 | 45 | 66 | 88 | 3 | 36 | 96 | 44 | 48 | 15 | 60 |
| CM | 106.7 | 121.9 | 259 | 140 | 142 | 270 | 114 | 168 | 224 | 8 | 91 | 244 | 112 | 122 | 38 | 152 |
| 160 | IN 42 | 48 | 115 | 55 | 56 | 115 | 45 | 49 | 82 | 3 | 36 | 114 | 44 | 48 | 15 | 60 |
| CM | 106.7 | 121.9 | 292 | 140 | 142 | 292 | 114 | 124 | 208 | 8 | 91 | 290 | 112 | 122 | 38 | 152 |
| 170 | IN 25 | 50 | 64 | 47 | 47 | 79 | 33 | 45 | 48 | 3 | 27 | 63 | 37 | 50 | 14 | 44 |
| CM | 63 | 127 | 163 | 119 | 119 | 201 | 84 | 114 | 122 | 8 | 69 | 160 | 94 | 127 | 36 | 112 |
| 188 | IN 28 | 60 | 76 | 66 | 66 | 122 | 46 | 65 | 89 | 0 | 36 | 58 | 50 | 60 | 17 | 61 |
| CM | 71.0 | 152.4 | 193 | 168 | 168 | 310 | 117 | 165 | 226 | 0 | 91 | 147 | 127 | 152 | 43 | 155 |
| 200 | IN 48 | 60 | 129 | 66 | 66 | 128 | 49 | 73 | 90 | 0 | 37 | 126 | 52 | 60 | 20 | 66 |
| CM | 121.9 | 152.4 | 328 | 168 | 168 | 325 | 125 | 185 | 229 | 0 | 94 | 320 | 132 | 152 | 51 | 168 |
| 310 | IN 55 | 75 | | | | | | | | | | | | | | |
| CM | 139.7 | 190.5 | | | | | | | | | | | | | | |
| 440 | IN 66 | 84 | 163 | 96 | 96 | 186 | 80 | 104 | 129 | 7 | 47 | 173 | 71 | 87 | 24 | 75 |
| CM | 167.6 | 213.4 | 414 | 244 | 244 | 472 | 203 | 264 | 328 | 18 | 119 | 439 | 180 | 221 | 61 | 191 |

CONSULT FACTORY

TABLE C – RPM, Approximate Shipping Weights and Volume

| Model No. | RPM Min.-Max. | Total Weight | Heaviest Piece | Export Packed Volume |
|-----------|---------------|--------------|----------------|----------------------|
| 75 | 350-390 | lbs. 22,100 | 9,000 | ft³ 337 |
| | | kg. 10,033 | 4,086 | m³ 9.0 |
| 110 | 350-390 | lbs. 39,900 | 15,180 | ft³ 555 |
| | | kg. 18,098 | 6,885 | m³ 15.7 |
| 110S | 350-390 | lbs. 40,700 | 15,880 | ft³ 590 |
| | | kg. 18,461 | 7,203 | m³ 16.7 |
| 120 | 325-360 | lbs. 48,000 | 17,680 | ft³ 740 |
| | | kg. 21,761 | 8,020 | m³ 21.0 |
| 120S | 325-360 | lbs. 49,600 | 18,400 | ft³ 761 |
| | | kg. 22,498 | 8,385 | m³ 21.5 |
| 126 | 325-360 | lbs. 64,000 | 23,460 | ft³ 965 |
| | | kg. 29,030 | 10,640 | m³ 27.4 |
| 145 | 260-290 | lbs. 82,000 | 32,000 | ft³ 1031 |
| | | kg. 37,195 | 14,512 | m³ 29.0 |
| 145S | 260-290 | lbs. 84,000 | 34,000 | ft³ 1090 |
| | | kg. 38,102 | 15,422 | m³ 31.0 |
| 150 | 260-290 | lbs. 99,500 | 39,900 | ft³ 1520 |
| | | kg. 45,133 | 18,099 | m³ 43.0 |
| 150A | 260-290 | lbs. 102,000 | 42,400 | ft³ 1555 |
| | | kg. 46,267 | 19,232 | m³ 44.0 |
| 150S | 260-290 | lbs. 103,500 | 43,900 | ft³ 1580 |
| | | kg. 46,948 | 19,913 | m³ 45.0 |
| 160 | 260-290 | lbs. 116,600 | 25,680 | ft³ 1695 |
| | | kg. 52,890 | 11,648 | m³ 48.0 |
| 170 | 325-360 | lbs. 46,000 | 19,700 | ft³ 610 |
| | | kg. 20,866 | 8,936 | m³ 17.3 |
| 188 | 260-290 | lbs. 90,000 | 30,660 | ft³ 1206 |
| | | kg. 40,824 | 13,907 | m³ 34.0 |
| 200 | 230-255 | lbs. 183,000 | 39,950 | ft³ 2672 |
| | | kg. 83,008 | 17,713 | m³ 76.0 |
| 310 | 200-220 | lbs. | | CONSULT FACTORY |
| | | kg. | | |
| 440 | 190-210 | lbs. 455,000 | 104,000 | ft³ 6815 |
| | | kg. 206,388 | 47,175 | m³ 195.0 |



Note: Dimensions shown are approximate, only. Certified drawings will be furnished for actual construction and installation. Face of pulley is flat for V-flat drive. Standard right hand drive is shown.

www.rockindustryaus.com

Call Toll-Free 1-800/637-9322

Printed in USA

Screening Technology
W.S. TYLER, INC.
3200 Bessemer City Road
Gastonia, NC 28053 USA
Telephone: 704/629-2214
Facsimile: 704/865-6533



Crushing Technology
KUE-KEN Corporation
8383 Baldwin Street
Oakland, CA 94621 USA
Telephone: 415/761-9382
Facsimile: 415/761-9382

ROCK INDUSTRY PTY LTD



PHONE: 0466 051 790 / 07 40549348

Price subject to change, unit is subject to availability and prior sale. All omissions and errors are excepted. Unit photographed is unit for sale. Unit will be transported to major sea port for shipping. Cleaning and Loading maybe required and can be arranged at shippers cost.