FOR SALE - Listing #KB011X

KOBE KD74x54

DOUBLE TOGGLE JAW CRUSHER

- KOBE KD7454 74" x 54" Double Toggle Jaw Crusher S/N: TBA
- Massive 565 to 880 tonnes per hour (TPH) production rate (as per Kobe specifications enclosed).
- Dry toggle configuration with full adjustment.
- Bearings, Main eccentric shaft, swing jaw, toggles seats and plates, main frame and pitman in excellent condition.
- Jaws Plates and Wear Plates in Good Condition.
- Made in Japan. Excellent Quality.
- This Unit is in excellent condition and has had limited usage.
- Well below new unit price. Price is delivered to Major Asian Port.



PRICE POA

Delivered Major Asian Port

Cleaning, Loading and Shipping available at Cost.

PHONE: 0466 051 790 / 07 40549348

FOR SALE – Listing #KB011X



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.

PHONE: 0466 051 790 / 07 40549348

FOR SALE – Listing #KB011X



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.

PHONE: 0466 051 790 / 07 40549348

FOR SALE – Listing #KB011X



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.

PHONE: 0466 051 790 / 07 40549348


FOR SALE – Listing #KB011X



KOBE Allis Chalmers KD74x54 Double Toggle Jaw Crusher.

PHONE: 0466 051 790 / 07 40549348


FOR SALE – Listing #KB011X



PHONE: 0466 051 790 / 07 40549348

FOR SALE - Listing #KB011X

DOUBLE TOGGLE JAW CRUSHER



GENERAL

The double toggle jaw crusher is suitable as the primary or secondary crusher in the crushing plant. Ranging in crushing capacity from small lumps of rock to large lumps up to more than 2,000 mm in size, all Kawasaki double toggle jaw crushers are manufactured based on a background of distinguished technique and rich experience. This crusher is ideally suited when enlarging a crushing plant, and for economical crushing operation.

MAIN DIMENSIONS

AA-dal	Dimensions (mm)									
Model	А	В	С							
KD3021	2,760	1,900	1,580							
KD3628	3,820	2,340	2,110							
KD4232	4,710	2,810	2,515							
KD4842	4,810	3,010	2,830							
KD6048	5,600	3,500	3,225							
KD7454	6,290	3,980	3,655							
KD8460	7,050	4,950	4,125							




MODEL & CAPACITY

		Feed opening (mm)	Capacity (t/h)												Revo- lution				
	Model		Discharge set (Open side setting, mm)																
			20	30	40	50	60	70	80	100	125	150	175	200	250	300	(rpm)	(kw)	(P)
Coarse Type	KD-3021	750x 525	-			45	60	75	85	110	135	160					260	45	6
	KD-3628	900x 700					85	100	120	165	200	225	245	265			220	75	8
	KD-4232	1,050x 800							160	210	250	285	315	340			210	95	10
	KD-4842	1,200×1,050								260	325	370	405	435	500		200	130	10
	KD-6048	1,500x1,200									425	505	565	605	675	715	180	190	10
	KD-7454	1,850×1,350										565	640	705	825	880	150	220	10
	KD-8460	2,100x1,500										605	715	805	880	960	125	1	10

Crushing Capacity varies with property and size of raw material.
This table shows approximate crushing capacities for limestone **ROCK INDUSTRY PTY LTD**

PHONE: 0466 051 790 / 07 40549348

FOR SALE - Listing #KB011X



PHONE: 0466 051 790 / 07 40549348